



GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)
(Formerly Department of Explosives)
CGO COMPLEX SEMINARY HILLS
NAGPUR 440006

Letter No:
A/P/HQ/MH/104/4749(P383788)
Email :explosives@explosives.gov.in
Phone/Fax No.2510248/2510577
Dated : 14/7/2016

To
✓ Val Controls A/S
Limfjordsvej 3, DK-6715 Esbjerg N,
Denmark

Sub:Approval of equipments under Petroleum Rules, 2002

Dear Sir(s),

Please refer to letter No NIL dated 25/03/2016 from FINAL CONTROL & EQUIPMENT, CHENNAI on the above subject.

The following Intrinsically Safe/Flame Proof equipment(s) manufactured by you according to EN 60079-0 : 2009, EN 60079-0 : 2012, EN 60079-1 : 2007, EN 60079-11 : 2012 & EN 60079-26 : 2007 standards and covered under TUV Nord/TRAC, UK Test reports mentioned below is/are approved for use in **Zone 0 and Zone 1** of Gas Group IIC hazardous areas coming under the purview of the Petroleum Rules, 2002 administered by this Organization.

Sr.No	Description	Safety Protection	CCEs Identification Number	Test House	Test Report No.	Drawing Numbers
1	Ex d Valve Controller, types IDP24-AF, IHP24-AF and IVC24-AF (FOR ZONE 1)	Ex d IIC T4/T5/T6 Gb	P383788/1	TUV Nord	TUV 12 ATEX 103365 X (Supplement 1) Dt.12/04/2016	As per test report
2	Positioner for hydraulic actuators IHP24-I-00000 and IHP24-I-10000 (with Hart Modem) (FOR ZONE 0)	Ex ia IIC T4/T5/T6 Ga	P383788/2	TUV Nord	TUV 13 ATEX 129516X Dt.09/07/2014	As per test report
3	Ex d Valve Controller type IHP24-BF (FOR ZONE 1)	Ex d IIC T4/T5/T6 Gb	P383788/3	TUV Nord	TUV 11 ATEX 082989X Dt.16/08/2011	As per test report
4	Intelligent Valve Controller, -IVC24; Intelligent Diagnostic Controller-IDC24-F; Intelligent Hydraulic Positioner-IHP24 (FOR ZONE 1)	Ex d [ib] IIC T6/T4 Gb	P383788/4	TRAC, UK	TRAC13ATEX0029X (incorporating variation V1 to V2) Dt.20/03/2015	As per test report

This Approval is granted subject to observance of the following conditions:-

- 1). The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the TUV Nord/TRAC, UK Test Reports referred to above
- 2). The equipment shall be used only with approved type of accessories and associated apparatus
- 3). The equipment shall be used only in conjunction with the approved Intrinsically Safe/Flame Proof barriers
- 4). Each equipment shall be marked either by raised lettering cast integrally or by plate attached to the main structure to indicate conspicuously
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified
 - (c) Number & Date of the test Report of the TUV Nord/TRAC, UK applicable to the equipment
 - (d) CCEs Identification Number of this letter by which use of the apparatus is approved
- 5). A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the TUV Nord/TRAC, UK test report and is identical with the one tested and certified at TUV Nord/TRAC, UK shall be furnished with each equipment
- 6). The customer shall be supplied the copy of this letter, an extract of the conditions and maintenance schedule, if any recommended by TUV Nord/TRAC, UK in their test reports and copy of instructions booklet detailing operation and maintenance of the equipment so as to maintain its Intrinsically Safe/Flame Proof safety characteristics

- 7). The After sales service and maintenance of subject equipment shall be looked after by your representative FINAL CONTROL & EQUIPMENT,1258/819TH MAIN RAOD ANNA NAGAR,CHENNAI ,Tamil Nadu (State)

This Approval also covers the permissible variation as approved under the TUV Nord/TRAC, UK test report referred above .This approval may be deemed to have been revoked with immediate effect at any time, if any of the conditions subject to which approval has been granted is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users /your customers of the subject equipment may please be collected and furnished to this office for verification and record at regular intervals.

This approval is otherwise valid a period of five years from the date of issue.

Yours faithfully,



(K. Srinivasa Rao)
Controller of Explosives
for Chief Controller of Explosives
Nagpur

Copy to :

- 1.The Jt. Chief Controller of Explosives, South Circle, Chennai.
- 2.FINAL CONTROL & EQUIPMENT,1258/819TH MAIN RAOD ANNA NAGAR,CHENNAI,(Tamil Nadu),600040